

Model	Year	Serial Numbers	Engine	HP	TBO	Max Speed Knots	Rcmd Cruise Kts	Stall Speed Dirty Kts	Fuel Capacity GAL	Service Ceiling	Rate of Climb	Takeoff Over 50 Feet	Takeoff Ground Roll	Landing Over 50 Feet	Landing Ground Roll	Gross Weight	Empty Weight	Length Ft/In	Height Ft/In	Wingspan Ft/In	Range NM
G36	2012	E-3954, E-3971 & E3981 & up	TCM IO-550-B	300	1,700	184	169	59	74	18,500	1,210	1,913	971	1,473	913	3,650	2,247	27/6	8/7	33/6	720
G36	2011	E-3945 & up	TCM IO-550-B	300	1,700	184	169	59	74	18,500	1,210	1,913	971	1,473	913	3,650	2,247	27/6	8/7	33/6	720
G36	2010	E-3919 & E-3940, E-3941 & up	TCM IO-550-B	300	1,700	184	169	59	74	18,500	1,210	1,913	971	1,473	913	3,650	2,247	27/6	8/7	33/6	720
G36	2009	E-3886 & E-3918	TCM IO-550-B	300	1,700	184	169	59	74	18,500	1,210	1,913	971	1,473	913	3,650	2,247	27/6	8/7	33/6	720
G36	2008	E-3816 & E-3885	TCM IO-550-B	300	1,700	184	169	59	74	18,500	1,210	1,913	971	1,473	913	3,650	2,247	27/6	8/7	33/6	720
G36	2007	E-3700, E-3745, E-3747 & -3750, -3753 & -3815	TCM IO-550-B	300	1,700	184	169	59	74	18,500	1,210	1,913	971	1,473	913	3,650	2,247	27/6	8/7	33/6	720
G36	2006	E-3630, E-3636 & E-3744, E3746, E-3751, E-3752	TCM IO-550-B	300	1,700	184	169	59	74	18,500	1,210	1,913	971	1,473	913	3,650	2,247	27/6	8/7	33/6	720
G36	2005	E-3576 & -3629, -3631 & -3635	TCM IO-550-B	300	1,700	184	169	59	74	18,500	1,210	1,913	971	1,473	913	3,650	2,247	27/6	8/7	33/6	720
A36	2004	E-3535 & -3575	TCM IO-550-B	300	1,700	184	169	59	74	18,500	1,210	1,913	971	1,473	913	3,650	2,247	27/6	8/7	33/6	720
A36	2003	E-3482 & -3534	TCM IO-550-B	300	1,700	184	169	59	74	18,500	1,210	1,913	971	1,473	913	3,650	2,247	27/6	8/7	33/6	720
A36	2002	E-3422 & -3481	TCM IO-550-B	300	1,700	184	169	59	74	18,500	1,210	1,913	971	1,473	913	3,650	2,247	27/6	8/7	33/6	720
B36TC	2002	EA-690 & -695	TCM TSIO-520-UB	300	1,600	213	190	57	102	25,000	1,049	2,364	1,156	1,692	976	3,850	2,338	27/6	8/5	37/10	957
A36	2001	E-3365 & -3421	TCM IO-550-B	300	1,700	184	169	59	74	18,500	1,210	1,913	971	1,473	913	3,650	2,247	27/6	8/7	33/6	720
B36TC	2001	EA-663 & -689	TCM TSIO-520-UB	300	1,600	213	190	57	102	25,000	1,049	2,364	1,156	1,692	976	3,850	2,338	27/6	8/5	37/10	957
A36	2000	E-3288 & 3364	TCM IO-550-B	300	1,700	184	169	59	74	18,500	1,210	1,913	971	1,473	913	3,650	2,247	27/6	8/7	33/6	720
B36TC	2000	EA-647 & EA-662	TCM TSIO-520-UB	300	1,600	213	190	57	102	25,000	1,049	2,364	1,156	1,692	976	3,850	2,338	27/6	8/5	37/10	957
A36	1999	E-3214 & 3287	TCM IO-550-B	300	1,700	184	169	59	74	18,500	1,210	1,913	971	1,473	913	3,650	2,247	27/6	8/7	33/6	720
B36TC	1999	EA-629 & EA-647	TCM TSIO-520-UB	300	1,600	213	190	57	102	25,000	1,049	2,364	1,156	1,692	976	3,850	2,338	27/6	8/5	37/10	957
A36	1998	E-3140 & -3213	TCM IO-550-B	300	1,700	184	169	59	74	18,500	1,210	1,913	971	1,473	913	3,650	2,247	27/6	8/7	33/6	720
B36TC	1998	EA-608 & EA-628	TCM TSIO-520-UB	300	1,600	213	190	57	102	25,000	1,049	2,364	1,156	1,692	976	3,850	2,338	27/6	8/5	37/10	957
A36	1997	E-3053, E-3058 & E-3139	TCM IO-550-B	300	1,700	184	169	59	74	18,500	1,210	1,913	971	1,473	913	3,650	2,247	27/6	8/7	33/6	720
B36TC	1997	EA-594 & EA-607	TCM TSIO-520-UB	300	1,600	213	190	57	102	25,000	1,049	2,364	1,156	1,692	976	3,850	2,338	27/6	8/5	37/10	957
A36	1996	E-2992 & E-3052, E3054 & E-3057	TCM IO-550-B	300	1,700	184	169	59	74	18,500	1,210	1,913	971	1,473	913	3,650	2,247	27/6	8/7	33/6	720
B36TC	1996	EA-585 & EA-593	TCM TSIO-520-UB	300	1,600	213	190	57	102	25,000	1,049	2,364	1,156	1,692	976	3,850	2,338	27/6	8/5	37/10	957
A36	1995	E-2918 & -2991	TCM IO-550-B	300	1,700	184	169	59	74	18,500	1,210	1,913	971	1,473	913	3,650	2,247	27/6	8/7	33/6	720
B36TC	1995	EA-573 & EA-584	TCM TSIO-520-UB	300	1,600	213	190	57	102	25,000	1,049	2,364	1,156	1,692	976	3,850	2,338	27/6	8/5	37/10	957
A36	1994	E-2836 & E-2917	TCM IO-550-B	300	1,700	184	169	59	74	18,500	1,210	1,913	971	1,473	913	3,650	2,247	27/6	8/7	33/6	720
B36TC	1994	EA-557 & EA-572	TCM TSIO-520-UB	300	1,600	213	190	57	102	25,000	1,049	2,364	1,156	1,692	976	3,850	2,338	27/6	8/5	37/10	957
F33A	1994	CE-1767 & CE-1791	TCM IO-520-BB	285	1,700	182	172	51	74	17,858	1,167	1,769	1,002	1,324	763	3,400	2,125	26/8	8/3	33/6	717
A36	1993	E-2768 & E-2835	TCM IO-550-B	300	1,700	184	169	59	74	18,500	1,210	1,913	971	1,473	913	3,650	2,247	27/6	8/7	33/6	720
B36TC	1993	EA-544 & EA-556	TCM TSIO-520-UB	300	1,600	213	190	57	102	25,000	1,049	2,364	1,156	1,692	976	3,850	2,338	27/6	8/5	37/10	957
F33A	1993	CE-1716 & CE-1766	TCM IO-520-BB	285	1,700	182	172	51	74	17,858	1,167	1,769	1,002	1,324	763	3,400	2,125	26/8	8/3	33/6	717
A36	1992	E-2686 & E-2767	TCM IO-550-B	300	1,700	184	169	59	74	18,500	1,210	1,913	971	1,473	913	3,650	2,247	27/6	8/7	33/6	720
B36TC	1992	EA-529 & EA-543	TCM TSIO-520-UB	300	1,600	213	190	57	102	25,000	1,049	2,364	1,156	1,692	976	3,850	2,338	27/6	8/5	37/10	957
F33A	1992	CE-1640 & CE-1715	TCM IO-520-BB	285	1,700	182	172	51	74	17,858	1,167	1,769	1,002	1,324	763	3,400	2,125	26/8	8/3	33/6	717
A36	1991	E-2581, E-2587 & -2685	TCM IO-550-B	300	1,700	184	169	59	74	18,500	1,210	1,913	971	1,473	913	3,650	2,247	27/6	8/7	33/6	720
B36TC	1991	EA-514 & EA-528	TCM TSIO-520-UB	300	1,600	213	190	57	102	25,000	1,049	2,364	1,156	1,692	976	3,850	2,338	27/6	8/5	37/10	957
F33A	1991	CE-1550 & CE-1639	TCM IO-520-BB	285	1,700	182	172	51	74	17,858	1,167	1,769	1,002	1,324	763	3,400	2,125	26/8	8/3	33/6	717
A36	1990	E-2519 & -2580, E-2582 & -2586	TCM IO-550-B	300	1,700	184	169	59	74	18,500	1,210	1,913	971	1,473	913	3,650	2,247	27/6	8/7	33/6	720
B36TC	1990	EA-501 & EA-513	TCM TSIO-520-UB	300	1,600	213	190	57	102	25,000	1,049	2,364	1,156	1,692	976	3,850	2,338	27/6	8/5	37/10	957
F33A	1990	CE-1426 & CE-1549	TCM IO-520-BB	285	1,700	182	172	51	74	17,858	1,167	1,769	1,002	1,324	763	3,400	2,125	26/8	8/3	33/6	717
A36	1989	E-2468 & E-2519	TCM IO-550-B	300	1,700	184	169	59	74	18,500	1,210	1,913	971	1,473	913	3,650	2,247	27/6	8/7	33/6	720
B36TC	1989	EA-489 & EA-500	TCM TSIO-520-UB	300	1,600	213	190	57	102	25,000	1,049	2,364	1,156	1,692	976	3,850	2,338	27/6	8/5	37/10	957
F33A	1989	CE-1307 & CE-1425	TCM IO-520-BB	285	1,700	182	172	51	74	17,858	1,167	1,769	1,002	1,324	763	3,400	2,125	26/8	8/3	33/6	717
A36	1988	E-2403 & E-2467	TCM IO-550-B	300	1,700	184	169	59	74	18,500	1,210	1,913	971	1,473	913	3,650	2,247	27/6	8/7	33/6	720
B36TC	1988	1988 EA-474 & EA-488	TCM TSIO-520-UB	300	1,600	213	190	57	102	25,000	1,049	2,364	1,156	1,692	976	3,850	2,338	27/6	8/5	37/10	957
F33A	1988	CE-1207 & CE-1306	TCM IO-520-BB	285	1,700	182	172	51	74	17,858	1,167	1,769	1,002	1,324	763	3,400	2,125	26/8	8/3	33/6	717
A36	1987	E-2353 & E-2402	TCM IO-550-B	300	1,700	184	169	59	74	18,500	1,210	1,913	971	1,473	913	3,650	2,247	27/6	8/7	33/6	720
B36TC	1987	EA-462 & EA-473	TCM TSIO-520-UB	300	1,600	213	190	57	102	25,000	1,049	2,364	1,156	1,692	976	3,850	2,338	27/6	8/5	37/10	957
F33A	1987	CE-1102 & CE-1206	TCM IO-520-BB	285	1,700	182	172	51	74	17,858	1,167	1,769	1,002	1,324	763	3,400	2,125	26/8	8/3	33/6	717
A36	1986	E-2278, -90, -91, -92, -96 & E-2352	TCM IO-550-B	300	1,700	184	169	59	74	18,500	1,210	1,913	971	1,473	913	3,650	2,247	27/6	8/7	33/6	720
B36TC	1986	EA-452 & EA-461	TCM TSIO-520-UB	300	1,600	213	190	57	102	25,000	1,049	2,364	1,156	1,692	976	3,850	2,338	27/6	8/5	37/10	957
F33A	1986	CE-1072 & CE-1101	TCM IO-520-BB	285	1,700	182	172	51	74	17,858	1,167	1,769	1,002	1,324	763	3,400	2,125	26/8	8/3	33/6	717
A36	1985	E-2205 & -2277, E-2279 & -2289, E-2293 & -2295	TCM IO-550-B	300	1,700	184	169	59	74	18,500	1,210	1,913	971	1,473	913	3,650	2,247	27/6	8/7	33/6	720
B36TC	1985	EA-443 & EA-451	TCM TSIO-520-UB	300	1,600	213	190	57	102	25,000	1,049	2,364	1,156	1,692	976	3,850	2,338	27/6	8/5	37/10	957
F33A	1985	CE-1026, -1033 & up	TCM IO-520-BB	285	1,700	182	172	51	74	17,858	1,167										

Model	Year	Serial Numbers	Engine	HP	TBO	Max Speed Knots	Rcmd Cruise Kts	Stall Speed Dirty Kts	Fuel Capacity GAL	Service Ceiling	Rate of Climb	Takeoff Over 50 Feet	Takeoff Ground Roll	Landing Over 50 Feet	Landing Ground Roll	Gross Weight	Empty Weight	Length Ft/In	Height Ft/In	Wingspan Ft/In	Range NM
A36TC	1980	EA-33 § EA-158	TCM TSIO-520-UB	300	1,600	214	190	57	74	25,000	1,165	2,012	1,176	1,449	721	3,650	2,278	27/6	8/5	33/6	800
F33A	1980	CE-884 § CE-928	TCM IO-520-BB	285	1,700	182	172	51	74	17,858	1,167	1,769	1,002	1,324	763	3,400	2,125	26/8	8/3	33/6	717
V35B	1980	D-10303 § D-10353	TCM IO-520-BB	285	1,700	182	172	51	74	17,858	1,167	1,769	1,002	1,324	763	3,400	2,125	26/5	7/7	33/6	717
A36	1979	E-1371 § E-1593	TCM IO-520-BB	285	1,700	179	168	52	74	16,600	1,030	2,040	1,140	1,450	840	3,600	2,195	27/6	8/5	33/6	697
A36TC	1979	EA-1 § EA-32	TCM TSIO-520-UB	300	1,600	214	190	57	74	25,000	1,165	2,012	1,176	1,449	721	3,650	2,278	27/6	8/5	33/6	800
F33A	1979	CE-816 § CE-883	TCM IO-520-BB	285	1,700	182	172	51	74	17,858	1,167	1,769	1,002	1,324	763	3,400	2,125	26/8	8/3	33/6	717
V35B	1979	D-10179 § D-10302	TCM IO-520-BB	285	1,700	182	172	51	74	17,858	1,167	1,769	1,002	1,324	763	3,400	1,915	26/5	7/7	33/6	717
A36	1978	E-1111, -1152 § -1370	TCM IO-520-BA	285	1,700	179	168	52	74	16,600	1,030	2,040	1,140	1,450	840	3,600	2,195	27/6	8/5	33/6	697
F33A	1978	CE-744 § CE-815	TCM IO-520-BB	285	1,700	182	172	51	74	17,858	1,167	1,769	1,002	1,324	763	3,400	2,125	26/8	8/3	33/6	717
V35B	1978	D-10069 § D-10178	TCM IO-520-BA	285	1,700	182	172	51	74	17,858	1,167	1,769	1,002	1,324	763	3,400	1,915	26/5	7/7	33/6	717
A36	1977	E-927 § E-1110, -1112 § -1151	TCM IO-520-BA	285	1,700	179	168	52	74	16,600	1,030	2,040	1,140	1,450	840	3,600	2,195	27/6	8/5	33/6	697
F33A	1977	CE-674 § CE-743	TCM IO-520-BA	285	1,700	182	172	51	74	17,858	1,167	1,769	1,002	1,324	763	3,400	2,125	26/8	8/3	33/6	717
V35B	1977	D-9948 § D-10068	TCM IO-520-BA	285	1,700	182	172	51	74	17,858	1,167	1,769	1,002	1,324	763	3,400	1,915	26/5	7/7	33/6	717
A36	1976	E-766 § E-926	TCM IO-520-BA	285	1,700	179	168	52	74	16,600	1,030	2,040	1,140	1,450	840	3,600	2,195	27/6	8/5	33/6	697
F33A	1976	CE-612 § CE-673	TCM IO-520-BA	285	1,700	182	172	51	74	17,858	1,167	1,769	1,002	1,324	763	3,400	2,125	26/8	8/3	33/6	717
V35B	1976	D-9816 § D-9947	TCM IO-520-BA	285	1,700	182	172	51	74	17,858	1,167	1,769	1,002	1,324	763	3,400	1,915	26/5	7/7	33/6	717
A36	1975	E-605 § E-765	TCM IO-520-BA	285	1,700	179	168	52	74	16,600	1,030	2,040	1,140	1,450	840	3,600	2,195	27/6	8/5	33/6	697
F33A	1975	CE-536 § CE-611	TCM IO-520-BA	285	1,700	182	172	51	74	17,858	1,167	1,769	1,002	1,324	763	3,400	2,125	26/8	8/3	33/6	717
V35B	1975	D-9687 § D-9815	TCM IO-520-BA	285	1,700	182	172	51	74	17,858	1,167	1,769	1,002	1,324	763	3,400	1,915	26/5	7/7	33/6	717
A36	1974	E-477 § E-604	TCM IO-520-BA	285	1,700	179	168	52	74	16,600	1,030	2,040	1,140	1,450	840	3,600	2,195	27/6	8/5	33/6	697
F33A	1974	CE-465 § CE-535	TCM IO-520-BA	285	1,700	182	172	51	74	17,858	1,167	1,769	1,002	1,324	763	3,400	2,125	26/8	8/3	33/6	717
V35B	1974	D-9538 § D-9686	TCM IO-520-BA	285	1,700	182	172	51	74	17,858	1,167	1,769	1,002	1,324	763	3,400	1,915	26/5	7/7	33/6	717
A36	1973	E-364 § E-476	TCM IO-520-BA	285	1,700	179	168	52	74	16,600	1,030	2,040	1,140	1,450	840	3,600	2,195	27/6	8/5	33/6	697
F33A	1973	CE-402 § CE-464	TCM IO-520-BA	285	1,700	182	172	51	74	17,858	1,167	1,769	1,002	1,324	763	3,400	2,125	26/8	8/3	33/6	717
V35B	1973	D-9391 § D-9537	TCM IO-520-BA	285	1,700	182	172	51	74	17,858	1,167	1,769	1,002	1,324	763	3,400	1,915	26/5	7/7	33/6	717
A36	1972	E-283 § E-363	TCM IO-520-BA	285	1,700	179	168	52	74	16,600	1,030	2,040	1,140	1,450	840	3,600	2,195	27/6	8/5	33/6	697
F33A	1972	CD-1300 § CD-1304	TCM IO-470-N	260	1,500	182	172	51	74	17,858	1,167	1,769	1,002	1,324	763	3,400	2,125	26/8	8/3	33/6	717
V35B	1972	CE-350 § CE-402	TCM IO-520-BA	285	1,700	182	172	51	74	17,858	1,167	1,769	1,002	1,324	763	3,400	2,125	26/8	8/3	33/6	717
A36	1971	E-241 § E-282	TCM IO-520-BA	285	1,700	179	168	52	74	16,600	1,030	2,040	1,140	1,450	840	3,600	2,195	27/6	8/5	33/6	697
F33A	1971	CE-316 § CE-349	TCM IO-520-BA	285	1,700	182	172	51	74	17,858	1,167	1,769	1,002	1,324	763	3,400	2,125	26/8	8/3	33/6	717
G33	1972	CD-1255 § CD-1299	TCM IO-470-N	260	1,500	177	168	49	50	16,600	1,060	1,516	1,023	1,150	625	3,300	1,935	25/5	8/3	32/9	513
V35B	1971	D-9205, D-9206, D-9212 § D-9286	TCM IO-520-BA	285	1,700	182	172	51	74	17,858	1,167	1,769	1,002	1,324	763	3,400	1,915	26/5	7/7	33/6	717
A36	1970	E-185 § E-240	TCM IO-520-B	285	1,700	179	168	52	74	16,600	1,030	2,040	1,140	1,450	840	3,600	2,195	27/6	8/5	33/6	697
F33	1970	CD-1235 § CD-1254	TCM IO-470-N	225	1,500	170	161	52	50	17,800	930	1,288	982	1,298	643	3,050	1,862	25/6	8/3	32/10	520
F33A	1970	CE-290 § CE-315	TCM IO-520-B/-BA	285	1,700	182	172	51	74	17,858	1,167	1,769	1,002	1,324	763	3,400	2,125	26/8	8/3	33/6	717
F33C	1970	CJ-26 § CJ-30	TCM IO-520-B/-BA	285	1,700	181	174	53	50	18,300	1,200	1,225	880	1,150	625	3,300	1,918	25/6	8/3	32/9	520
V35B	1970	D-9069 § D-9211, D-9205	TCM IO-520-B/-BA	285	1,700	182	172	51	74	17,858	1,167	1,769	1,002	1,324	763	3,400	1,915	26/5	7/7	33/6	717
V35BTC	1970	D-9070 § D-9180	TCM TSIO-520-D	285	1,400	179	168	56	50	16,600	1,030	2,040	1,140	1,450	840	3,600	1,980	26/4	8/5	32/10	510
36	1969	E-106 § E-184	TCM IO-520-B	285	1,700	177	170	56	50	16,000	1,015	1,525	1,112	1,240	683	3,600	1,980	26/4	8/5	32/10	510
E33	1969	CD-1200 § CD-1234	TCM IO-470-K	225	1,500	170	161	52	50	17,800	930	1,288	982	1,298	643	3,050	1,862	25/6	8/3	32/10	520
E33A	1969	CE-249 § CE-289	TCM IO-520-B/-BA	285	1,700	181	174	53	50	18,300	1,200	1,225	880	1,150	625	3,300	1,915	25/6	8/3	32/10	520
E33C	1969	CJ-14 § CJ-25	TCM IO-520-B/-BA	285	1,700	181	174	53	50	18,300	1,200	1,225	880	1,150	625	3,300	1,918	25/6	8/3	32/9	520
V35A	1969	D-8872 § D-9068	TCM IO-520-B/-BA	285	1,700	183	177	55	44	17,500	1,136	1,320	965	1,177	647	3,400	1,960	26/4	6/6	33/5	536
V35ATC	1969	D-8875 § D-9063	TCM TSIO-520-D	285	1,400	217	200	55	50	29,500	1,225	1,320	950	1,177	647	3,400	2,027	26/4	6/6	33/5	600
36	1968	E-1 § E-105	TCM IO-520-B	285	1,700	177	170	56	50	16,000	1,015	1,525	1,112	1,240	683	3,600	1,980	26/4	8/5	32/10	510
E33	1968	CD-1119 § CD-1199	TCM IO-470-K	225	1,500	170	161	52	50	17,800	930	1,288	982	1,298	643	3,050	1,862	25/6	8/3	32/10	520
E33A	1968	CE-180 § CE-248	TCM IO-520-B/-BA	285	1,700	181	174	53	50	18,300	1,200	1,225	880	1,150	625	3,300	1,915	25/6	8/3	32/10	520
E33C	1968	CJ-1 § CJ-13	TCM IO-520-B/-BA	285	1,700	181	174	53	50	18,300	1,200	1,225	880	1,150	625	3,300	1,918	25/6	8/3	32/9	520
V35A	1968	D-8599 § D-8871	TCM IO-520-B/-BA	285	1,700	183	177	55	44	17,500	1,136	1,320	965	1,177	647	3,400	1,960	26/4	6/6	33/5	536
V35ATC	1968	D-8606 § D-8868	TCM TSIO-520-D	285	1,400	217	200	55	50	29,500	1,225	1,320	950	1,177	647	3,400	2,027	26/4	6/6	33/5	600
C33	1967	CD-1057 § CD-1118	TCM IO-470-K	225	1,500	170	161	52	50	18,300	980	1,288	982	1,298	643	3,050	1,854	25/6	8/3	32/10	568
C33A	1967	CE-103 § CE-179	TCM IO-520-B/-BA	285	1,700	181	174	53	50	18,300	1,200	1,225	880	1,150	632	3,300	1,775	25/6	8/3	32/10	520
V35	1967	D-8302 § D-8598	TCM IO-520-B/-BA	285	1,700	183	177	55	50	17,500	1,136	1,320	965	1,177	647	3,400	1,915	26/4	6/6	33/5	543
V35TC	1967	D-8307 § D-8596	TCM TSIO-520-D	285	1,400	209	195	55	50	26,600	1,225	1,320	965	1,177	647	3,400	1,950	26/4	6/6	33/5	580
C33	1966	CD-971 § CD-1056	TCM IO-470-K	225	1,500	170	161	52	50	18,300	980	1,288	982	1,298	643	3,050	1,854	25/6	8/3	32/10	568
C33A	1966	CE-1 § CE-102	TCM IO-520-B/-BA	285	1,700	181	174	53	50	18,300	1,200	1,225	880	1,150	632	3,300	1,775	25/6	8/3	32/10	520
V35	1966	D-7977 § D-8301	TCM IO-520-B/-BA	285	1,700	183	177	55	50	17,500	1,136	1,320	965	1,177	647	3,400</					

<u>Model</u>	<u>Year</u>	<u>Serial Numbers</u>	<u>Engine</u>	<u>HP</u>	<u>TBO</u>	<u>Max Speed</u> <u>Knots</u>	<u>Rcmd</u> <u>Cruise Kts</u>	<u>Stall Speed</u> <u>Dirty Kts</u>	<u>Fuel Capacity</u> <u>GAL</u>	<u>Sevice</u> <u>Ceiling</u>	<u>Rate of</u> <u>Climb</u>	<u>Takeoff Over</u> <u>50 Feet</u>	<u>Takeoff</u> <u>Ground Roll</u>	<u>Landing Over</u> <u>50 Feet</u>	<u>Landing</u> <u>Ground Roll</u>	<u>Gross</u> <u>Weight</u>	<u>Empty</u> <u>Weight</u>	<u>Length Ft/In</u>	<u>Height Ft/In</u>	<u>Wingspan</u> <u>Ft/In</u>	<u>Range</u> <u>NM</u>
M35	1960	D6162 § D6561	TCM IO-470-C	250	1,500	183	170	52	49	20,000	1,170	1,185	950	1,050	710	2,950	1,832	25/1	6/5	33/5	495
K35	1959	D5726 § D6161	TCM IO-470-C	250	1,500	183	170	52	49	20,000	1,225	1,260	1,050	1,050	710	2,950	1,832	25/1	6/5	33/5	495
J35	1958	D5062, 5531 § 5725	TCM IO-470-C	250	1,500	183	174	50	39	21,300	125	1,175	925	1,050	710	2,900	1,820	25/1	6/6	32/9	492
H35	1957	D4866 § D5330,D5062=58	TCM IO-470-G	240	1,500	179	165	50	39	19,800	1,225	1,260	1,050	1,050	710	2,900	1,820	25/1	6/6	32/9	470
G35	1956	D4376,4392 § 4865	TCM E-225-8	225	1,500	169	160	49	39	19,000	1,300	1,270	1,060	1,025	680	2,775	1,650	25/1	6/6	32/9	510
F35	1955	D3999 § D4391	TCM E-225-8	225	1,500	169	160	49	39	19,000	1,300	1,270	1,060	1,025	680	2,730	1,650	25/1	6/6	32/9	510
E35	1954	D3293,3699 § 3998	TCM E-225-8	225	1,500	169	160	49	39	19,000	1,300	1,270	1,060	1,025	680	2,725	1,650	25/1	6/6	32/9	510
D35	1953	D3401 § D3698	TCM E-185-11	205	1,500	165	152	49	39	18,000	1,100	1,500	1,250	975	625	2,700	1,650	25/1	6/6	32/9	510
C35	1952	D3091 § D3400	TCM E-185-11	205	1,500	165	152	49	39	18,000	1,100	1,500	1,250	975	625	2,700	1,650	25/1	6/6	32/9	510
C35	1951	D2681 § D3090	TCM E-185-11	205	1,500	165	152	49	39	18,000	1,100	1,500	1,250	975	625	2,700	1,650	25/1	6/6	32/9	510
B35	1950	D2201 § D2680	TCM E-185-8	196	1,500	160	148	49	39	17,100	890	1,515	1,275	950	625	2,650	1,575	25/1	6/6	32/9	470
A35	1949	D1501 § D2200	TCM E-185-1	185	1,500	160	148	49	39	17,100	890	1,515	1,275	950	625	2,650	1,575	25/1	6/6	32/9	470
35	1948	D1210 § D1500	TCM E-185-1	185	1,500	160	150	48	39	18,000	950	1,440	1,200	925	580	2,550	1,458	25/1	6/6	32/9	530
35	1947	D1 § D1209	TCM E-185-1	185	1,500	160	150	48	39	18,000	950	1,440	1,200	925	580	2,550	1,458	25/1	6/6	32/9	530